


## Single-ply solid RC MULTIsafe®1L pipes

Single-ply solid RC MULTIsafe®1L pipes (totally orange – type 1 – in accordance with PAS 1075:2009.04 ) intended for gas are manufactured with diameters from 25 to 630 mm.

Category: 1-layer pipe RC  
MULTIsafe® PE100 RC 1L



### Description

Gas pipes RC MULTIsafe®1L – coils



Diameter	Wall thickness SDR 11	Wall thickness SDR 17	Wall thickness SDR 17,6	Quantity in pallet
[mm]	[mm]	[mm]	[mm]	[mb]
25	2,3	2,3	2,3	200
32	3,0	2,3	2,3	200
40	3,7	2,4	2,3	200
50	4,6	3,0	2,9	100
63	5,8	3,8	3,6	100
75	6,8	4,5	4,3	100

90	8,2	5,4	5,2	100
110	10,0	6,6	6,3	50

Gas pipes RC MULTIsafe®1L – sections and '12 mb

<b>Diameter</b>	<b>Wall thickness SDR 11</b>	<b>Wall thickness SDR 17</b>	<b>Wall thickness SDR 17,6</b>	<b>Quantity in pallet</b>
[mm]	[mm]	[mm]	[mm]	[mb]
90	8,2	5,4	5,2	384
110	10,0	6,6	6,3	312
125	11,4	7,4	7,1	276
140	12,7	8,3	8,0	240
160	14,6	9,5	9,1	204
180	16,4	10,7	10,3	120
200	18,2	11,9	11,4	120
225	20,5	13,4	12,8	96
250	22,7	14,8	14,2	72
280	25,4	16,6	15,9	36
315	28,6	18,7	17,9	36
355	32,3	21,1	20,2	36
400	36,4	23,7	22,8	24
450	41,0	26,7	25,6	24
500	45,5	29,7	28,4	24
560	50,9	33,2	31,9	24

Related products



### **RC MULTIsafe®1L pipes intended for drinking water with PE 100RC**

Single-ply solid RC MULTIsafe®1L pipes (totally dark blue - type 1  
– in accordance with...

