




Heat-shrink sleeves for pipes RC MAXIprotect® PP/PE-d

[Download the new catalog](#)



Category: Accessories for pipes



Description

Sleeve material – radiationally crosslinked polyethylene

| Name / type | D | L cat. | L allowed (mm) | Pipe DN |
|------------------------------------|--------------------|--------|----------------|----------------------------|
| RDK 55 L-150 MAXIprotect® PP/PE-d | 55 | | | DN 25, DN 32, DN 40, DN 50 |
| RDK 76 L-150 MAXIprotect® PP/PE-d | 76 | 150 | 150±15 | DN 63 |
| RDK 95 L-150 MAXIprotect® PP/PE-d | 95 | | | DN 75, DN 90 |
| TNK 90 L-150 MAXIprotect® PP/PE-d | 105 ⁺⁵ | | | DN 90 |
| TNK 110 L-150 MAXIprotect® PP/PE-d | 128 ⁺⁵ | | | DN 110 |
| TNK 125 L-150 MAXIprotect® PP/PE-d | 142 ⁺⁵ | 150 | 150±15 | DN 125 |
| TNK 140 L-150 MAXIprotect® PP/PE-d | 156 ⁺⁵ | | | DN 140 |
| TNK 160 L-150 MAXIprotect® PP/PE-d | 180 ⁺¹⁰ | | | DN 160 |

| | | | | |
|------------------------------------|--------------------|-----|--------|--------|
| TNK 180 L-200 MAXIprotect® PP/PE-d | 200 ⁺¹⁰ | 200 | 200±15 | DN 180 |
| TNK 200 L-200 MAXIprotect® PP/PE-d | 220 ⁺¹⁰ | | | DN 200 |
| TNK 225 L-200 MAXIprotect® PP/PE-d | 250 ⁺¹⁰ | | | DN 225 |
| TNK 250 L-200 MAXIprotect® PP/PE-d | 278 ⁺¹⁰ | | | DN 250 |
| TNK 280 L-200 MAXIprotect® PP/PE-d | 300 ⁺¹⁰ | | | DN 280 |
| TNK 315 L-200 MAXIprotect® PP/PE-d | 340 ⁺¹⁵ | | | DN 315 |
| TNK 355 L-300 MAXIprotect® PP/PE-d | 390 ⁺¹⁵ | 300 | 300±15 | DN 355 |
| TNK 400 L-300 MAXIprotect® PP/PE-d | 430 ⁺¹⁵ | | | DN 400 |
| TNK 450 L-300 MAXIprotect® PP/PE-d | 480 ⁺¹⁵ | | | DN 450 |
| TNK 500 L-300 MAXIprotect® PP/PE-d | 540 ⁺²⁰ | | | DN 500 |
| TNK 560 L-300 MAXIprotect® PP/PE-d | 590 ⁺²⁰ | | | DN 560 |
| TNK 630 L-300 MAXIprotect® PP/PE-d | 660 ⁺⁴⁰ | | | DN 630 |


RDK – Heat-shrink sleeves, with glue inside on the whole length, round section without profiling.


Designation according to sleeve diameter.

TNK – Heat-shrink sleeves, with glue inside on the whole length, round section technologically profiled.

Designation according to MAXIprotect pipes diameter.

Related products





**Tapes for connecting detection tapes in pipes
RC MAXIprotect® PP/PE-d**

[Download the new catalog](#)



**Bends RC MULTIsafe® 2L, 3L and PE 100 Smart
2L®**