



## Gas pipes RC MULTIsafe®2L



Two-ply RC MULTIsafe®2L pipes (black with distinguished dark orange external ply – type 2 – in accordance with PAS 1075:2009.04) intended for gas are manufactured with diameters from 25 to 630 mm.

Category: 2-layer pipe RC  
MULTIsafe® PE100 RC 2L



### Description

Gas pipes RC MULTIsafe®2L – coils



Diameter	Wall thickness SDR 11	Wall thickness SDR 17	Wall thickness SDR 17,6	Quantity in packaging
[mm]	[mm]	[mm]	[mm]	[mb]
25	2,3	2,3	2,3	200
32	3,0	2,3	2,3	200
40	3,7	2,4	2,3	200
50	4,6	3,0	2,9	100
63	5,8	3,8	3,6	100
75	6,8	4,5	4,3	100

90	8,2	5,4	5,2	100
110	10,0	6,6	6,3	50

Gas pipes RC MULTIsafe®2L – sections and '12 mb



<b>Diameter</b>	<b>Wall thickness SDR 11</b>	<b>Wall thickness SDR 17</b>	<b>Wall thickness SDR 17,6</b>	<b>Quantity in packaging</b>
[mm]	[mm]	[mm]	[mm]	[mb]
90	8,2	5,4	5,2	384
110	10,0	6,6	6,3	312
125	11,4	7,4	7,1	276
140	12,7	8,3	8,0	240
160	14,6	9,5	9,1	204
180	16,4	10,7	10,3	120
200	18,2	11,9	11,4	120
225	20,5	13,4	12,8	96
250	22,7	14,8	14,2	72
280	25,4	16,6	15,9	36
315	28,6	18,7	17,9	36
355	32,3	21,1	20,2	36
400	36,4	23,7	22,8	24
450	41,0	26,7	25,6	24
500	45,5	29,7	28,4	24
560	50,9	33,2	31,9	24
630	57,3	37,4	35,8	24

Related products



### RC MULTIsafe®2L pipes for tap water (sewage system)

Two-ply RC MULTIsafe® pipes (black with distinguished green external layer – type 2 – in...



**RC MULTIsafe®2L pipes intended for drinking**