

## RC MULTIsafe®3L pipes intended for drinking water with PE 100RC

Three-ply RC MULTIsafe®3L pipes (middle ply in black and both outermost plies in dark blue with thickness from 10% to 30%, where the outermost internal ply is at least 2,5mm thick – type 2 – in accordance with PAS 1075:2009.04) intended for drinking water are manufactured with diameters from 90 to 500 mm.

Category: 3-layer pipe RC  
MULTIsafe® PE100 RC 3L

### Description

---



RC MULTIsafe®3L pipes intended for drinking water – coils

Diameter	Wall thickness SDR 11	Wall thickness SDR 17	Quantity in packaging
[mm]	[mm]	[mm]	[mb]
90	8,2	5,4	100
110	10,0	6,6	50



RC MULTIsafe®3L pipes intended for drinking water – sections and ‘12 mb

<b>Diameter</b>	<b>Wall thickness SDR 11</b>	<b>Wall thickness SDR 17</b>	<b>Quantity in pallet</b>
[mm]	[mm]	[mm]	[mb]
90	8,2	5,4	384
110	10,0	6,6	312
125	11,4	7,4	276
140	12,7	8,3	240
160	14,6	9,5	204
180	16,4	10,7	120
200	18,2	11,9	120
225	20,5	13,4	96
250	22,7	14,8	72
280	25,4	16,6	36
315	28,6	18,7	36
355	32,3	21,1	36
400	36,4	23,7	24
450	41,0	26,7	24
500	45,5	29,7	24

Related products



### Gas pipes RC MULTIsafe®3L



### RC MULTIsafe®3L pipes for tap water (sewage system) with PE 100 RC

Three-ply RC MULTIsafe®3L pipes (middle ply in black and both outermost plies in green with...