



RC MULTIsafe®2L pipes for tap water (sewage system)



Two-ply RC MULTIsafe® pipes (black with distinguished green external layer – type 2 – in accordance with PAS 1075:2009.04) intended for tap water (sewage system) are manufactured with diameters from 32 to 1000 mm.

Category: 2-layer pipe RC
MULTIsafe® PE100 RC 2L



Description

RC MULTIsafe®2L pipes for tap water – coils

Diameter	Wall thickness SDR 11	Wall thickness SDR 17	Quantity in packaging
[mm]	[mm]	[mm]	[mb]
32	3,0	2,0	200
40	3,7	2,4	200
50	4,6	3,0	100
63	5,8	3,8	100
75	6,8	4,5	100



90	8,2	5,4	100
110	10,0	6,6	50
800	72,6	47,4	12
900	81,7	53,3	12
1000	90,8	59,3	12

RC MULTIsafe®2L pipes for tap water – sections and '12 mb

Diameter	Wall thickness SDR 11	Wall thickness SDR 17	Quantity in packaging
[mm]	[mm]	[mm]	[mb]
90	8,2	5,4	384
110	10,0	6,6	312
125	11,4	7,4	276
140	12,7	8,3	240
160	14,6	9,5	204
180	16,4	10,7	120
200	18,2	11,9	120
225	20,5	13,4	96
250	22,7	14,8	72
280	25,4	16,6	36
315	28,6	18,7	36
355	32,3	21,1	36
400	36,4	23,7	24
450	41,0	26,7	24

500	45,5	29,7	24
560	50,9	33,2	24
630	57,3	37,4	24
710	64,5	42,1	12
800	72,6	47,4	12
900	81,7	53,3	12
1000	90,8	59,3	12

Related products



Gas pipes RC MULTIsafe®2L

Two-ply RC MULTIsafe®2L pipes (black with distinguished dark orange external ply – type 2 –...

